

# Gauges




# Gauges



## Hourmeter

- Description**
- 0-9999 hours
  - Flat lens
  - Drilling diameter 53MM
  - Required parts:  
Wiring Harness A: 32540-ZV5-911  
Wiring Harness B: 32550-ZW5-U00



Application	Part Number	Comments
BF25D ~ BF250A	06397-ZW5-U10	Black face, analogue display, req. part 32550-ZW5-U00
	06397-ZW5-U00	White face, analogue display, req. part 32550-ZW5-U00
BF20A ~ BF250A (Not with BF25 ~ BF50A4)	39700-ZV5-800AH	Black face, digital display, req. part 32550-ZV5-910

## Speedometer


- Description**
- Flat lens
  - Drilling diameter 86MM
  - Required parts:  
Wiring Harness A: 32540-ZV5-911  
Wiring Harness B: 32550-ZW5-U00  
Wiring Harness 32550-ZV5-910



Application	Part Number	Comments
BF25D ~ BF250A	06373-ZW5-U11	Black face, 10-50 mph/20-80 km/h, req. part 32550-ZW5-U00
	06373-ZW5-U01	White face 10-50 mph/20-80 km/h, req. part 32550-ZW5-U00
BF40 ~ BF250A	06372-ZV5-950AH	Black face, 5-35 mph/10-55 km/h, req. part 32550-ZV5-910

## Tachometer


- Description**
- 0-7000 rpm
  - Flat lens
  - Required parts:  
Wire harness: 32540-ZV5-911



Application	Part Number	Comments
BF25D ~ BF250A	06375-ZW5-U11	Black face, drilling diameter 81MM
	06375-ZW5-U01	White face, drilling diameter 81MM
BF40A / BF50A, BF40D / BF50D	37250-ZV5-823	
BF20 / 25/30A, BF25 / 30D	37250-ZV7-913	Black face, drilling diameter 81MM
BF60 ~ BF250A	37250-ZW9-902	
BF8D ~ BF20D	37250-ZV5-950AH	Black face, drilling diameter 86MM
BF20A ~ BF250A		

## Trimmer

- Description**
- Up & down indicator
  - Flat lens
  - Drilling diameter 53MM
  - Required part:  
Wire harness: 32540-ZV5-911




Application	Part Number	Comments
BF25D - BF250A	06372-ZW5-U11	Black face
BF25D ~ BF250A	06372-ZW5-U01	White face
BF40 ~ BF250A	37260-ZV5-822	Black face

# Gauges



## Voltmeter

- Description**
- 8-16 volts indicator
  - Flat lens
  - Drilling diameter 53MM
  - Required part:  
Wire harness: 32540-ZV5-911, 32550-ZW5-U00



Application	Part Number	Comments
BF25D ~ BF250A	06374-ZW5-U10	Black face
	06374-ZW5-U00	White face

## Dual assy meter with Tacho/Hour meter function

- Description**
- A five digit LCD display reads up to 99999 rpm in 20 rpm increments
  - Displays up to 9999.9 hours of engine operation before resetting to zero
  - Maximum 16000 RPM



Application	Part Number
BF2 ~ BF20	08174-ZL8-013HE

## Instrument set

- Description**
- Fog Resistant
  - Includes 5\* gauges: 0-7000rpm / digital hour meter, 10-65 mph / 20-100 km/h speedometer, 8-18 voltmeter, 240-33 ohms (or 10-180 ohms EU sender) fuel gauge, trim meter, drilling diameter 86MM (rpm & speed) and 53MM (volt, fuel, trim), domed lens
  - Required part:  
Wire harness: 32200-ZW7-000AH



Application	Part Number	Comments
BF25 ~ BF250A	06304-ZW5-000ZB	EU Instrument set, white face, black letters

## Instrument set

- Description**
- Fog Resistant
  - Includes 5\* gauges: 0-7000rpm / digital hour meter, 10-65 mph / 20-100 km/h speedometer, 8-18 voltmeter, 240-33 ohms (or 10-180 ohms EU sender) fuel gauge, trim meter, drilling diameter 86MM (rpm & speed) and 53MM (volt, fuel, trim), domed lens
  - Required part:  
Wire harness: 32200-ZW7-000AH



Application	Part Number	Comments
BF25 ~ BF250A	06304-ZW5-000ZA	EU Instrument set, black face, white letters



# Gauges



## Instrument set

- Description**
- Fog Resistant
  - Includes 4 gauges: 0-7000rpm / digital hour meter, 10-65 mph / 20-100 km/h speedometer, 240-33 ohms (or 10-180 ohms EU sender) fuel gauge, trim meter, drilling diameter 86MM (rpm & speed) and 53MM (volt, fuel, trim), domed lens
  - Required part:  
Wire harness: 32200-ZW7-000AH



Application	Part Number	Comments
BF25 ~ BF250A	06300-ZW5-003SK	US Instrument set, Charcoal grey face - no voltmeter
	06320 ZW5 003SK	EU Instrument set, Charcoal grey face - no voltmeter

## Speedometer

- Description**
- Fog Resistant
  - 10-65mph / 20-100 km/h\*
  - Domed lens
  - Drilling diameter 86MM
  - Required part:  
Wire harness: 32200-ZW7-000AH



Application	Part Number	Comments
BF25 ~ BF250A	37203-ZW5-000ZB	White face, black letters, 0 ~ 65Kts
	37203-ZW5-000ZA	Black face, white letters, 0 ~ 65kts
	37200-ZW5-003SK	Charcoal grey, 0 ~ 50kts

## Tacho / hourmeter

- Description**
- Fog Resistant
  - 0-7000 rpm & digital hour meter
  - Domed lens
  - Drilling diameter 86MM
  - Required part:  
Wire harness: 32200-ZW7-000AH



Application	Part Number	Comments
BF25 ~ BF250A	37253-ZW5-000ZB	White face, black letters
	37253-ZW5-000ZA	Black face, white letters
	37250-ZW5-003SK	Charcoal grey

## Trim meter

- Description**
- Fog Resistant
  - Up & down indicator
  - Domed lens
  - Drilling diameter 53MM
  - Required part:  
Wire harness: 32200-ZW7-000AH



Application	Part Number	Comments
BF25 ~ BF250A	37263-ZW5-000ZB	White face, black letters
	37263-ZW5-000ZA	Black face, white letters
	37260-ZW5-003SK	Charcoal grey

# Gauges



## Voltmeter

- Description**
- Fog Resistant
  - 8-18 volts indicator
  - Domed lens
  - Drilling diameter 53MM
  - Required part:  
Wire harness: 32200-ZW7-000AH



Picture only as illustration!

Application	Part Number	Comments
BF25 ~ BF250A	37453-ZW5-000ZB	White face, black letters
	37453-ZW5-000ZA	Black face, white letters
	37450-ZW5-003SK	Charcoal grey

## Fuel Meter (EU type - 10 ohms ~ 180 ohms)

- Description**
- Fog Resistant
  - For inbuilt fuel tanks
  - Drilling diameter 53MM



Picture only as illustration!

Application	Part Number	Comments
BF25 ~ BF250A	37304-ZW5-000ZB	EU, white face, Ohms 10Ω (empty) to 180Ω (full) scale
	37304-ZW5-000ZA	EU, black face, Ohms 10Ω (empty) to 180Ω (full) scale
	37320-ZW5-003SK	EU Charcoal grey face, Ohms 10Ω (empty) to 180Ω (full) scale

## Fuel Meter (USA type - 240 ohms ~ 33 ohms)

- Description**
- Fog Resistant
  - For inbuilt fuel tanks
  - Drilling diameter 53MM




Picture only as illustration!

Application	Part Number	Comments
BF25 ~ BF250A	37303-ZW5-000ZB	US, white face, Ohms 240Ω (empty) to 33Ω (full) scale
	37303-ZW5-000ZA	US, black face, Ohms 240Ω (empty) to 33Ω (full) scale
	37300-ZW5-003SK	US, charcoal grey face, Ohms 240Ω (empty) to 33Ω (full) scale

## Prestige Gauges

- Description**
- Tachometer and Trim function in one 3" dial - no need to mount separate gauges saving space on dash
  - Black and silver styling - compliments latest styling of Honda engine covers
  - Deutsch plug in connections - makes for easy installation/ service etc
  - Harness supplied with Prestige Tach/Trim gauge provides an additional connector for easy addition of fuel gauge whenever required



Picture only as illustration!

Application	Part Number	Comments
BF25 ~ BF250A	06380-ZX2-U00HE	Black face tachometer trim harness
	06303-ZX2-U00HE	Black face US fuel meter Ohms 240Ω ~ 33Ω
	06304-ZX2-U00HE	Black face EU fuel meter Ohms 10Ω ~ 180Ω